APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.		
09/965,445	9/27/01	F. Pfleger	2001P07287US		
			EXAMINER		
Da	Decrease To Official Action			SONG, S.	
Response To Official Action		ART UNIT	PAGE NUMBER		
			2874	3	

LISTING OF CLAIMS:

A copy of all pending claims and a status of the claims is provided below.

- (Original) A fiber-optic cable connection, comprising:

 a first connector part including an optical fiber, said optical fiber including a
 terminal end having a conductive coating; and
- a second connector part adapted to mate with said first connector part, said second connector part having a verification circuit that verifies said first connector part and said second connector part have been connected using said conductive coating.
- 2. (Original) The fiber-optic cable connection of claim 1, wherein said verification circuit includes a contact element within said second connector part disposed at a position which coincides with a location of said conductive coating when said first connector part is connected to said second connector part.
- 3. (Original) The fiber-optic cable connection of claim 2, wherein said conductive coating is located at only a terminal end of said optical fiber.
- 4. (Original) The fiber-optic cable connection of claim 2, wherein said conductive coating extends a length of said optical fiber.
- 5. (Original) The fiber-optic cable connection of claim 2, wherein said verification circuit further includes an electronic device that indicates when said contact element touches said conductive coating.
- 6. (Original) The fiber-optic cable connection of claim 5, wherein said electronic device is located in a housing of said second connector part.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	
09/965,445	9/27/01	F. Pfleger	2001P07287US	
			EXAMINER	
Pospono To Official Action		SONG, S.		
IN C	Response To Official Action		ART UNIT	PAGE NUMBER
			2874	4

- 7. (Original) The fiber-optic cable connection of claim 5, wherein said electronic device is located in a housing to which said second connector part is connected.
- 8. (Original) The fiber-optic cable connection of claim 5, wherein said electronic device includes one of a light-emitting diode and an audible alarm.
- 9. (Original) The fiber-optic cable connection of claim 5, wherein said verification circuit includes a power source for activating said electronic device, said power source being located in one of said second connector part and a device connector to said first connector part.
- 10. (Original) The fiber-optic cable connector of claim 5, wherein said conductive coating carries electrical signals from a first electronic device connected to said first connector part to a second electronic device connected to said second connector part.
- 11. (Original) The fiber-optic cable connector of claim 2, wherein said contact element is a ring electrode.
- 12. (Original) The fiber-optic cable connector of claim 2, wherein said contact element includes at least two electrodes.
- 13. (Original) A method for verifying an optical connection, comprising: providing a first connector part coupled to an optical fiber, said optical fiber having a terminal end with a conductive coating;
- providing a second connector part having a contact element, said contact element disposed at a position which coincides with said conductive coating of said

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.		
_	09/965,445	9/27/01	F. Pfleger	2001P07287US		
				EXAMINER		
Response To Official Action			SONG, S.			
			ART UNIT	PAGE NUMBER		
				2874	5	

optical fiber when said first connector part and said second connector part are mated; and

outputting a verification signal when said contact element touches said conductive coating.

- 14. (Original) The method of claim 13, further comprising:activating an electronic device based on said verification signal.
- 15. (Original) The method of claim 14, wherein said electronic device includes one of a light-emitting diode and an audible alarm.
- 16. (Original) The method of claim 13, further comprising: transmitting optical signals along said conductive coating between two electronic devices.
- 17. (Original) The method of claim 16, wherein at least one of said electronic devices is a network element.
 - 18. (Cancelled).
 - 19. (Cancelled).
 - 20. (Cancelled).
- 21. (Original) A fiber-optic cable connection tester, comprising:
 a connector part adapted to mate with an optical fiber that includes a
 terminal end having a conductive coating, said connector part having a verification
 circuit that verifies that said connector part and said optical fiber have been connected
 using said conductive coating.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.		
09/965,445	9/27/01	F. Pfleger	2001P07287US		
				EXAMINER	
Response To Official Action			SONG, S.		
			ART UNIT	PAGE NUMBER	
			2874	6	

- 22. (Original) The fiber-optic cable connection tester of claim 21, wherein said verification circuit includes a contact element within said connector part disposed at a position which coincides with a location of said conductive coating when said connector part and said optical fiber have been connected.
- 23. (Original) The fiber-optic cable connection tester of claim 22, wherein said verification circuit includes an electronic device that indicates when said contact element touches said conductive coating.
- 24. (Original) The fiber-optic cable connection tester of claim 23, wherein said electronic device is located in a housing of said connector part.
- 25. (Original) The fiber-optic cable connection tester of claim 23, wherein said electronic device is located in a housing to which said connector part is connected.
- 26. (Original) The fiber-optic cable connection tester of claim 23, wherein said electronic device includes one of a light-emitting diode and an audible alarm.
- 27. (Original) The fiber-optic cable connection tester of claim 23, wherein said verification circuit includes a power source for activating said electronic device.
 - 28. (Cancelled)
- 29. (Currently Amended) <u>A method for making an optical connection</u>, comprising:

providing a first connector part coupled to an optical fiber, said optical fiber having a terminal end with a conductive coating;

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	
09/965,445	9/27/01	F. Pfleger	2001P07287US	
			EXAMINER	
Donners To Official Action			SONG, S.	
I C	Response To Official Action		ART UNIT	PAGE NUMBER
			2874	7

providing a second connector part having a contact element, said contact element disposed at a position which coincides with said conductive coating of said optical fiber when said first connector part and said second connector part are mated; and

The method of claim 28, wherein said step of providing a second connector part includes:

providing an electronic device within said second connector part that indicates when said contact element touches said conductive coating.

- 30. (Original) The method of claim 29, wherein said electronic device is one of a light-emitting diode and an audible alarm.
- 31. (Cancelled)